




DC MINI BIKE

Instruction Manual

1.0.0-EN-20250618
MC 101 >



SCAN ME AND
READ MANUAL
ONLINE



Dancutter A/S, Livøvej 1 A, DK-8800 Viborg, +45 9651 2150, info@dancutter.dk
www.dancutter.com

1.0 Manufacturer

Dancutter A/S

Livøvej 1A
DK-8800 Viborg
Tel: +45 9651 2150
info@dancutter.dk
CVR/VAT no.: 26672678

Technical support

If you experience problems with the cutter or if you have any technical questions, please write to **support@dancutter.dk**

Order

If you need spare parts or cutting heads, please write to **order@dancutter.dk**

1.1 Distributor

RSM LINING SUPPLIES GLOBAL Ltd.

Coalpit Road,
Denaby Main Industrail Estate,
Doncaster, South Yorkshire,
England, UK,
DN12 4LH

Tel: +44 (0)1709 864 271
sales@rsm-web.com
www.rsm-web.com

Technical support

If you experience problems with the cutter or if you have any technical questions, please write to **sales@rsm-web.com**

Order

If you need spare parts or cutting heads, please write to **sales@rsm-web.com**

1.2 Authorised Representative

MINI-CAM Ltd.


Unit 33, Ravenscraig Rd,
Little Hulton, Salford,
M38 9PU

Cutter / Fräser / Cutter


Service og vedligeholdelse, reservedele - Service und Wartung, Ersatzteile - Service and maintenance, spare parts	4
Montering af skærehoved - Montage der Hartmetall Fräser - Mounting of cutting head	10
Montering af Wire - Montage des Drahts - Mounting of wire	11

Service and maintenance


Spare parts




SERVICE OVERVIEW			
Part - components - service	Daily	Weekly	Other
Cleaning the cutter	x		
Refilling with pneumatik oil	x		



040102	Luftventil trykknop 1/8-3/2	Luftventil Druckknopf 1/8-3/2	Air valve push-button, 1/8-3/2
040104	Gummihåndtag	Gummihandgriff	Rubber handle
040106	Lynkobling 8 mm	Schnellkupplung 8 mm	Hose connector 8 mm
040200	Håndtag - samlet	Handgriff - montiert	Handle - assembled
040212	DC MINI BIKE Wirestrammer	DC MINI BIKE Drahtseilspanner	DC MINI BIKE Wire tensioner
040213	Slangespænde sæt - Håndtag	Schlauchbinder set - Handgriff	Hose clamp set, handle
070802	Skrue M4 × 10 CH (ned 5,5)	Schraube M4 × 10 CH (heruntergedreht 5,5)	Screw, M4 × 10 CH (turned down to 5.5)
F00007	Øreclips 9-11 mm	Schlauchklemme 9-11 mm	Ear clip 9-11 mm
F00106	Møtrik M8 lav	Mutter M8 flach	Nut M8 low
F00518	Pinolskrue M4 × 6 mm	Madenschraube M4 × 6 mm	Pointed screw M4 × 6 mm
F80087	Luftslange Ø8 blå	Luftschlauch Ø8 blau	Air hose Ø8 blue
F80555	Push-in fitting vinkel 1/8" Ø6 mm	Steckverschraubung Winkel 1/8" Ø6 mm	Push-in fitting angle 1/8" Ø6 mm
F80556	Push-in fitting vinkel 1/8" Ø8 mm	Steckverschraubung Winkel 1/8" Ø8 mm	Push-in fitting angle 1/8" Ø8 mm
F80570	Lyddæmper SFE-1/8	Schalldämpfer SFE-1/8	Sound absorber SFE-1/8
F00206	Skrue M3 × 20 CH	Schraube M3 × 20 CH	Screw M3 × 20 CH



040105	Bøsning Ø6/8 × 6 mm	Buchse Ø6/8 × 6 mm	Bushing Ø6/8 × 6 mm
040107	Blændprop 7,9 mm	Blindstopfen 7,9 mm	Blind plug 7,9 mm
040109	Spændebrig Ø4 × 2,5 mm	Sicherungsscheibe Ø4 × 2,5 mm	Lock washer Ø4 × 2.5 mm
F00526	Pinolskrue plan M5 × 5 mm	Madenschraube plan M5 × 5 mm	Set screw plan M5 × 5 mm
040207	Styregreb samlet	Bediengriff montiert	Handlebar assembled
040210	Center aksel - Håndtag	Drehgelenk - Handgriff	Centre shaft - Handle
F00248	Skrue M4 × 8 US (DIN 7991)	Schraube M4 × 8 US (DIN 7991)	Screw M4 × 8 US (DIN 7991)
F00507	Pinolskrue M5 × 5 mm	Madenschraube M5 × 5 mm	Pointed screw, M5 × 5 mm



040111-
0401115

Wire DC MINI BIKE 11 m

Drahe DC MINI BIKE 11 m

Wire DC MINI BIKE 11 m

040107-1

Luftslange Ø6 blå

Luftschlauch Ø6 blau


Air hose Ø6 blue

040103

Beskyttelseskabel til wire - 5 mm

Schutz für Drahtseil - 5 mm

Protective sheath for cable - 5 mm




040215	Slangespænde sæt - Cutter
040217	Lynkobling M6
040218	DC MINI BIKE Bagende
070802	Skrue M4 × 10 CH (ned 5,5)
AF0539	Bøsning Ø10 × Ø12 × 15mm m/6,5mm hul
F00082	O-ring 10,00 × 1,00mm



040215	Schlauchbinder set - Fräser
040217	Schnellkupplung M6
040218	DC MINI BIKE Hinteres Ende
070802	Schraube M4 × 10 CH (heruntergedreht 5,5)
AF0539	Buchse Ø 10 × Ø 12 × 15mm m/6,5mm loch
F00082	O-ring 10,00 × 1,00mm



040215	Hose clamp set - Cutter
040217	Hose connector M6
040218	DC MINI BIKE Hind end
070802	Screw M4 × 10 CH (turned down to 5.5)
AF0539	Bushing Ø10 × Ø12 × 15mm w/6,5mm hole
F00082	O-ring 10,00 × 1,00mm



040219	DC MINI BIKE Forende
040220	DC MINI BIKE Banjobolt
F00101	O-ring 6,0 × 1,0 mm
F00254	Skrue M5 × 10 US
F70559	Komplet Cylinder




DC MINI BIKE Vorderes Ende
DC MINI BIKE Banjo-Anschluss
O-ring 6,0 × 1,0 mm
Schraube M5 × 10 US
Kompletter Zylinder



DC MINI BIKE Front end
DC MINI BIKE Banjo fitting
O-ring 6,0 × 1,0 mm
Screw M5 × 10 US
Complete Cylinder

Mounting of cutting head



F00100

Fjederskive Ø10, A2

DK4020-16

Carbid skærehoved 40 × 20mm

DK3015-16

Carbid skærehoved 3/8" UNF Ø30 × 15 mm



Federscheibe Ø10mm

Karbid-Fräskopf 40 × 20mm

Karbid-Fräskopf 3/8" UNF Ø30 × 15 mm



Spring washer Ø10mm

Carbide cutting head 40 × 20mm

Carbide cutting head 3/8" UNF Ø30 × 15 mm

Mounting of wire

040140 CLAMPING SET FOR WIRE



1



2

CLAMPING PIECE



3

SCREW CENTER
M5 × 5

The grub screw no. 3 is fastened from the back side of the handle. Tighten the screw so it barely touches the wire. The wire must still be moveable in both directions.



Place the round metal piece no. 2 inside the hole. Insert the grub screw no. 1, tighten the wire and tighten the grub screw no. 1 firmly.

